

STAMP - Activities

[New Search](#)

[Help using this report](#)

Run Date: 03/05/24 01:19 PM

Sort by Most Recent Date

Starting Date:

House#:

Folder Type: All Folder Types

Ending Date:

Street Name:

Folder Count: 113

Include Same PIN Addresses: Yes

Click on address links below to access mapping services and Ramsey County info.

Click on ID# link below to view detail

PIN:272923220058

Address	In Date	ID #	Status	Type	Description
1552 Como Ave Apt 1	09/29/2017	17 140593	Open	RE - Real Estate Assessments	Owner James O Thompson/Daniel R Thompson
1552 Como Ave Apt 2	09/29/2017	17 140593	Open	RE - Real Estate Assessments	Owner James O Thompson/Daniel R Thompson
1552 Como Ave Apt 3	09/29/2017	17 140593	Open	RE - Real Estate Assessments	Owner James O Thompson/Daniel R Thompson
1552 COMO AVE - Tian Jin Restaurant	02/01/2024	24 009438	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - Sunday	Licensee El Aguila Restaurant LLC El Aguila Restaurant Latin Food - ECLIPS License# 20240000156
	02/01/2024	24 009439	Pending	XL - ECLIPS License - Liquor - Liquor On Sale - 100 seats or less	Licensee El Aguila Restaurant LLC El Aguila Restaurant Latin Food - ECLIPS License# 20240000156
	10/06/2023	23 088729	Pending	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party J O Thompson Properties Llc - 2009 Variance for bedroom egress windows
	05/30/2023	23 044277	Finald	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	Contractor Nardini Fire Equipment - Modifications to existing Ansul system to meet MFG specs with new appliance line up
	05/30/2023	23 044026	Canceled	EG - Fire Engineering - Sprinkler / Standpipe Permit - Existing Building - Alter Systems	Contractor Nardini Fire Equipment - Re Piping /Change of Appliance coverage to meet new line up
	05/02/2023	23 035335	Finald	PG - Plumbing/Gasfitting/Inside Water Piping - Gasfitting Only - Commercial Alter	Contractor John Wilder Alpha Plumbing LLC - 2 - DEEP FRYERS 1 - GRIDDLE
	02/14/2022	22 029058	Closed	RF - Referral - Form 4	Owner J O Thompson Properties Llc - Form 4: No Address number for Apartments, did not see a key box. *See Documents
	02/14/2022	22 029057	In Compliance	CS - CSO Complaint - Certificate of Occupancy - Complaint	Form 4: No Address number for Apartments, did not see a key box. *See Documents
	08/03/2020	20 061506	Active/Issued	CT - Certificate of Insurance - Sign - Insurance Continuous	Business Owner Lisu's Thai Taste - COI for freestanding sign on the property that projects into the right-of-way roughly 5 feet. See sign permit 20-052266 for more information about the sign.
	07/15/2020	20 052266	Finald	BS - Billboard / Sign - Signs - Commercial Replace	Contractor Adrian Kadue Albrecht Sign Company - COPY TO READ "LISU'S THAI TASTE AUTHENTIC LISU THAI CUISINE" REFACING EXISTING FREESTANDING SIGN
	01/24/2020	20 007783	Active/Issued	E - Electrical Permit - Unit Table Only - Commercial New	Contractor Albrecht Sign Company - ILLUMINATED SIGN
	01/15/2020	20 005702	Finald	BS - Billboard / Sign - Signs - Commercial New	Contractor Adrian Kadue Albrecht Sign Company - COPY TO READ: "Lisu's Thai Taste" NEW WALL SIGN ON NORTH FACADE
	11/07/2019	19 099610	Certified	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party J O Thompson Properties Llc - 2009 Variance for bedroom egress windows

09/29/2017	17 140593	Open	RE - Real Estate Assessments	Owner James O Thompson/Daniel R Thompson
10/28/2016	16 093583	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Hong Chen Cafe 99 - ECLIPS License# 20130003930
10/27/2016	16 093582	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (3.2)	Licensee Hong Chen Cafe 99 - ECLIPS License# 20130003930
10/12/2016	16 088560	Closed	RF - Referral - C of O	Owner James O Thompson/Daniel R Thompson - Follow up on C of O folder approved with corrections.
10/12/2016	16 088559	Certified	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party J O Thompson Properties Llc - 2009 Variance for bedroom egress windows
11/21/2013	13 252121	Scheduled	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Cafe 99 LLC
11/21/2013	13 164274	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Cafe 99 LLC - MDH Inspection on 10/21/123 3-18-13 Plan approval.
10/10/2013	13 240468	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Hong Chen Cafe 99 - ECLIPS License# 20130003930
10/10/2013	13 240463	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Hong Chen Cafe 99 - ECLIPS License# 20130003930
10/09/2013	13 222134	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Hong Chen Cafe 99 - ECLIPS License# 20130003930
10/09/2013	13 222145	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Hong Chen Cafe 99 - ECLIPS License# 20130003930
09/18/2013	13 233358	Finaled	EG - Fire Engineering - Special Extinguishing System - Existing Building - Alter Systems	Installed Ansul R-102 system in kitchen hood
08/14/2013	13 221937	Finaled	M - Mechanical Permit - Refrigeration - Commercial Repair/Alter	Contractor Brent Johnson Wendl Services Inc
07/18/2013	13 211117	Finaled	M - Mechanical Permit - Gas - Commercial Replace	Contractor Brent Johnson Wendl Services Inc
07/10/2013	13 207978	Finaled	W - Warm Air, Ventilation & General Sheet - Ventilation Only - Commercial Repair/Alter	Contractor Brent Johnson Wendl Services Inc
06/05/2013	13 193404	Finaled	E - Electrical Permit - Electrical - Commercial New	Contractor Todd Stennes Collins Electrical Construction CO
06/04/2013	13 192968	Finaled	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Repair/Alter	Contractor Brent Johnson Wendl Services Inc
05/10/2013	13 183707	Finaled	M - Mechanical Permit - Gas - Commercial Replace	Contractor Brent Johnson Wendl Services Inc
04/19/2013	13 175957	Finaled	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Commercial Alter	Contractor Pavel Zakharov Pps Plumbing LLC
03/15/2013	13 163892	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Cafe 99 LLC - 3-15-13 - 1 db on basement sink,
01/08/2013	13 141887	Withdrawn	XF - ECLIPS Food Related - Restaurant (3) - 13-50 Seats	Licensee Hong Chen Cafe 99 LLC - ECLIPS License# 20130000068
01/07/2013	13 140657	Expired	B - Building Permit - Commercial - Remodel	Contractor Jim Thompson J.O. Thompson Flooring
10/25/2012	12 204171	Finaled	WA - SPRWS Plumbing Permit - Existing Building - Inside - Add / Repair /Relocate/ Replace	Contractor Bruce Nelson Bruce Nelson Plbg & Htg Service Inc - Commercial: RPZ Install (1)
10/02/2012	12 111598	Finaled	M - Mechanical Permit - Gas - Residential Replace	Contractor Bruce Nelson Bruce Nelson Plbg & Htg Service Inc
10/02/2012	12 111605	Finaled	M - Mechanical Permit - Steam or Hot Water - Residential Replace	Contractor Bruce Nelson Bruce Nelson Plbg & Htg Service Inc
10/02/2012	12 111612	Inspected	PG - Plumbing/Gasfitting/Inside Water Piping - Plumbing/Inside Water (All) - Residential Replace	Contractor Bruce Nelson Bruce Nelson Plbg & Htg Service Inc
09/17/2012	12 104395	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
09/07/2012	12 105988	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven

03/13/2001	01 018670	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Daniel R Thompson - 272923220058
05/15/2000	99 003404	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
05/14/1999	00 015409	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
04/29/1999	00 015983	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
04/20/1999	98 009224	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
05/13/1998	98 025842	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
05/11/1998	97 015803	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
05/06/1998	98 000519	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Bascali's Brick Oven - ECLIPS License# 19980000519
05/06/1998	98 000519	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Bascali's Brick Oven - ECLIPS License# 19980000519
05/06/1998	98 000519	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Bascali's Brick Oven - ECLIPS License# 19980000519
10/17/1997	96 020809	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
09/27/1996	96 000304	Finald	BS - Billboard / Sign - Signs - Commercial New	Contractor Darrin Bergman Sign-A-Rama
05/14/1996	96 009161	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
01/25/1996	95 011661	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
12/06/1995	95 018991	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Bascali's Inc Bascali's Brick Oven - ECLIPS License# 0018991
12/06/1995	95 018991	Canceled	XF - ECLIPS Food Related - Sidewalk Cafe	Licensee Bascali's Inc Bascali's Brick Oven - ECLIPS License# 0018991
12/06/1995	95 018991	Canceled	XL - ECLIPS License - Liquor - Malt On Sale (Strong)	Licensee Bascali's Inc Bascali's Brick Oven - ECLIPS License# 0018991
12/06/1995	95 018991	Canceled	XL - ECLIPS License - Liquor - Wine On Sale	Licensee Bascali's Inc Bascali's Brick Oven - ECLIPS License# 0018991
11/17/1995	95 082287	Finald	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Install	Contractor John Matthews Air Conditioning Assoc Inc
11/13/1995	95 082159	Closed without Approval	M - Mechanical Permit - Gas - Commercial Install	Contractor John Matthews Air Conditioning Assoc Inc - Closed without final approval
09/27/1995	95 007682	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
09/07/1995	95 003620	History	RS - Restaurant Inspection - High Risk - Plan Review Inspection	Establishment Bascali's Brick Oven
09/06/1995	95 078585	Closed without Approval	W - Warm Air, Ventilation & General Sheet - Warm Air & Ventilation - Commercial Install	Contractor John Matthews Air Conditioning Assoc Inc - Closed without final approval
07/06/1995	94 017350	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
08/11/1994	94 017159	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
08/09/1994	94 017251	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
08/08/1994	94 017574	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
08/04/1994	94 018198	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
08/03/1994	94 016887	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
08/01/1994	94 092129	Canceled	XF - ECLIPS Food Related - Restaurant (B) - more than 12 seats	Licensee Jeff Mathiasen Como Park Pizza - ECLIPS License# 0092129
07/26/1994	94 001346	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven

09/07/2012	11 281719	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
08/01/2012	12 088740	Expired	B - Building Permit - Commercial - Repair	Contractor Daniel R Thompson
09/27/2011	10 910758	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
10/14/2010	09 297247	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
03/11/2010	10 120668	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Daniel R Thompson - 2009 Variance for bedroom egress windows
03/01/2010	10 114831	Finald	E - Electrical Permit - Service & Circuits - Commercial Repair/Alter	Contractor Commercial Electric Co Of The Twin Cities Inc - An Open C of O Exists at this Property. 05/05/2010: Re-opened by Dan Jambor
12/24/2009	09 518410	Approved	CN - C of O Condition	Egress Windows Variance
10/09/2009	09 267718	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
09/09/2009	08 150840	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
09/11/2008	07 126893	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
06/20/2008	08 057231	Canceled	XF - ECLIPS Food Related - Restaurant (3) - 13-50 Seats	Licensee Bascali's Brick Oven - ECLIPS License# 19980000519
04/21/2008	08 061176	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Bascali's Brick Oven - ECLIPS License# 19980000519
08/02/2007	06 116298	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
11/03/2006	06 262543	Closed	CL - Compliance Checks - Liquor Compliance Check	Licensee Bascali's Brick Oven - ECLIPS License# 19980000519
07/25/2006	05 150010	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
08/24/2005	04 148326	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
07/18/2005	05 133412	Closed	RF - Referral - C of O	Owner James O Thompson Iii/Daniel R Thompson - Follow up on C of O folder approved with corrections.
07/18/2005	05 133411	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Daniel R Thompson - 272923220058
12/14/2004	04 210186	Canceled	XF - ECLIPS Food Related - Food Vehicle	Licensee Bascali's Brick Oven - ECLIPS License# 19980000519
12/14/2004	04 210187	Canceled	XF - ECLIPS Food Related - Catering - Add On	Licensee Bascali's Brick Oven - ECLIPS License# 19980000519
09/20/2004	04 034409	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven - 9/20/04: DUE TO THE UNAPPROVED CEILING IN THE BASEMENT, FOOD AND SINGLE-USE ITEMS STORED IN THIS AREA ARE RESTRICTED TO SEALED PACKAGES ONLY. REUSABLE UTENSILS STORED IN BASEMENT SHALL BE WASHED AND SANITIZED PRIOR TO USE. [DW]
06/23/2004	04 109593	Closed	CS - CSO Complaint - Parking - FYI - No Response Required	Abandoned Vehicle left in parking lot; MN plates: DGR-570 Blue Mis. Eclipse, looks like vehicle had been in accident.
01/08/2004	03 348437	History	RS - Restaurant Inspection - High Risk - Change of Ownership	Establishment Bascali's Brick Oven - 4/13/04 Cancelled COO fee per Steve Olson/Christine Rozek, sale did not go through. ptk
09/04/2003	02 127167	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
07/08/2003	03 324162	Closed	RF - Referral - C of O	Owner James O Thompson Iii/Daniel R Thompson - Follow up on C of O folder approved with corrections.
07/08/2003	03 324161	History	CO - Certificate of Occupancy - Mixed (Res+Comm)	Responsible Party Daniel R Thompson - 272923220058
05/17/2002	01 201695	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven
05/17/2001	00 126938	History	RS - Restaurant Inspection - High Risk - Routine Inspection	Establishment Bascali's Brick Oven

09/23/1993	99 000958	History	RS - Restaurant Inspection - No Establishment Bascali's Brick Oven Risk - Routine Inspection
05/04/1993	99 001058	History	RS - Restaurant Inspection - No Establishment Bascali's Brick Oven Risk - Routine Inspection
04/26/1993	99 000997	History	RS - Restaurant Inspection - No Establishment Bascali's Brick Oven Risk - Routine Inspection
10/06/1992	99 002367	History	RS - Restaurant Inspection - No Establishment Bascali's Brick Oven Risk - Routine Inspection
06/04/1992	99 002295	History	RS - Restaurant Inspection - No Establishment Bascali's Brick Oven Risk - Routine Inspection
02/03/1992	99 002403	History	RS - Restaurant Inspection - No Establishment Bascali's Brick Oven Risk - Routine Inspection
09/13/1991	99 002320	History	RS - Restaurant Inspection - No Establishment Bascali's Brick Oven Risk - Routine Inspection
05/14/1991	99 002356	History	RS - Restaurant Inspection - No Establishment Bascali's Brick Oven Risk - Routine Inspection
03/31/1971	71 007591	History	CO - Certificate of Occupancy - Responsible Party Daniel R Thompson Mixed (Res+Comm) - 272923220058
03/31/1971	71 017582	History	CO - Certificate of Occupancy - Responsible Party Daniel R Thompson Mixed (Res+Comm) - 272923220058