

Frances Birch

From: Barb McMonigal-St Dennis
Sent: Monday, April 21, 2025 1:42 PM
To: Frances Birch
Cc: Barb McMonigal-St Dennis; Luis Sanchez-Panadero
Subject: Courtesy C Wabasha Brewing Co - Weekends at Wabasha- Saturdays in May and June event series. GovDelivery/ENS Sound Level Variance (SLV) Application, Event: Sound Level variance Application, Wabasha Brewing Co - Weekends at Wabasha- Fridays May and June ev

Hi Frances,

Please process the Sound Level Variance (SLV) application for the Wabasha Brewing Co - Weekends at Wabasha- Fridays May and June event series.

GovDelivery ENS Bulletin was sent Monday, April 21, 2025.

The City Council Public Hearing date is May 7, 2025.

Mailing needs to occur by mid-day, Tuesday, April 22, 2025 to meet the Notification requirements.

Please let me know of any questions.

Sound Level Variance Application, Wabasha Brewing Co-Weekends at Wabasha Saturdays in May and June

From:	City of Saint Paul <cityofsaintpaul@public.govdelivery.com>
Subject:	Sound Level Variance Application, Wabasha Brewing Co-Weekends at Wabasha Saturdays in May and June

Event: Wabasha Brewing Co-Weekends at Wabasha Saturdays in May and June

Noise Source Location: 429 Wabasha Street South – Wabasha Brewing Co.

Variance Request: Deanna Vastine, Wabasha Brewing Co, has requested a sound level variance for 80 dBA at no specified distance to present amplified sound on the Saturdays of May 3, 10 and 24, 2025, and June 7, 14, 21 and 28, 2025 for the hours of 1:00 p.m. to 9:00 p.m. with pre-event sound checks at 12:30 p.m.

Recommendation: The Department of Safety and Inspections will be recommending the following conditions: **1)** The Variance

shall be for the hours of 2:00 p.m. to 8:00 p.m. with pre-event sound checks at 1:30 p.m. for Saturdays May 10 and 24, 2025 and June 7, 14, 21, and 28, 2025. **2)** All electronically powered equipment used in conjunction with the event shall not exceed 80 dBA at 50 feet from any sound source on May 10 and 24, 2025 and June 7, 14, 21, and 28, 2025. **3)** The applicant shall monitor the decibel level from the variance approved distance of each noise source and create a report that records the general operating decibel levels within 15 minutes of the start each performing act and at intervals no greater than 60 minutes apart thereafter. The report shall be made available for viewing by city staff, upon request during the variance or within 30 days thereafter. Applicant shall also conduct a decibel reading during the variance upon request of city staff. **4)** All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 8:00 p.m. on May 10 and 24, 2025 and June 7, 14, 21, and 28, 2025.

Comment Submittal: The public may comment on public hearing items in person, in writing and by voicemail.

Comments and materials submitted by 12:00 pm on May 6, 2025, will be attached to the public record and available for review by City Council. Written comments can be submitted to CouncilHearing@ci.stpaul.mn.us, voicemail comments to 651-266-6805, in-person comments at the public hearing, and live telephone comments by registering to speak by 12:00 pm on May 6, 2025 at www.stpaul.gov/council. The public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable channel 18.

The public hearing for this variance request will be held on:

Date: Wednesday, May 7, 2025

Time: 3:30 p.m.

Location: 15 W Kellogg Blvd, St Paul, MN 55102 – City Hall Council Chambers, 3rd Floor

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, barb.mcmonigal-st.dennis@ci.stpaul.mn.us

Thank you,

Barb

Barbara McMonigal-St. Dennis
Department of Safety and Inspections (DSI)
375 Jackson Street
Suite 220

Saint Paul MN 55101
651.266.9137
Main: 651.266.8989
Fax: 651.266.9124